

75W LED Gas Station Canopy Light



Features

- Lumileds LED, high luminous efficiency and long working life.
- High efficiency LED Driver, the wide range input voltage AC120-277V.
- Die Cast aluminium cooling design, high quality and better cooling for LED $T_j < 85^{\circ}\text{C}$.
- Excellent Optics design, greatly improve the light utilization and evenness.

Product Applications

CIP LED Gas Station Canopy Light series can be widely used in outdoor lighting(Wet location),Excellent for Museums, Art Galleries, Underground parking lot, Buildings,The lawn, Industrial areas, Residential areas, Sidewalks, Parking lot, Schools, Gardens and etc,and many more applications.




Specifications

Unit : inch(mm)

Structure Features

- Shell materials: Aluminum & Glass.
- Finish: Dark Bronze/White
- Net weight : 4.5Kg (9.9 lbs)
- Product Size:322.8mm*322.8mm*48.5mm
- Carton Size:375mm*375mm*210mm




Technical Parameters

CIP-WSD-GSK75W27-XXK

Power	75W	Lighting Angle	115°
Input Voltage	AC120-277V	LED Brightness Decay	<5%/6000 hrs
PF	>0.95	Working Life	>50000 hrs
Driver Efficiency	>90%	Working Temperature	-30 - +45°C
Luminous Flux	9750 Lm	Storage Temperature	-40 - +80°C
Color Temperature	3000K/4000K/5000K/5700K/6500K	Protection Level	Wet Location/IP65
CRI	Ra>80	Optional dimming function	1-10Vdc

Photometry



Example: CIP-WSD-GSK75W27-XXK-D-A

CIP-WSD	GSK	75W	27	50K	D	A	1-10V
Company	Product	Power	Voltage	Color Temp	Finish	Mount	Option
	GSK	45W(45W)	27	30K(3000K)	D	A	
CIP	Gas Station	75W(75W)	AC120-277V	40K(4000K)	Dark Bronze	Embedded Installation	
	Canopy			50K(5000K)	W	with driver box	
				57K(5700K)±500K	White		

Charlotte International Partners Inc.

1740 First Baxter Crossing, Fort Mill SC 29708 USA

info@ciplighting.com 1-803-396-1439 www.ciplighting.com